

Edge Molding

- Trims fiberglass, metal, plywood, and glass edges
- Installs quickly and permanently without use of adhesives on flanges with a 3/4" min radius and with 1/2" min clearance from edge
- .500"H x .660"W



EDGE MOLDING

Item Number	Color	Price
Sold Per Foot		
50-39001	White	\$1.66
50-39011	Black	\$1.65

Expandable Sleeving

- Increased braid density for maximum coverage
- Cut and abrasion resistant
- Halogen free
- UV light resistant
- UL94V0 rated
- Max continuous 257°F(125°C) min continuous -94°F(-70°C)



CLEAN CUT WRAP



CLEAN CUT SLEEVE

Item Number	Nominal Size in "(mm)	Wall Thickness in "(mm)	Monofilament Diameter in "(mm)	Price
Flexo Clean Cut Wrap				
Sold Per Foot, black, 25% edge overlap				
F6N0.25	.25(6.35)	.025(.635)	.10(2.54)	\$0.87
F6N0.38	.38(9.65)	.025(.635)	.10(2.54)	\$1.01
F6N0.50	.50(12.70)	.025(.635)	.10(2.54)	\$1.83
F6N0.75	.75(19.05)	.025(.635)	.10(2.54)	\$1.38
F6N1.00	1(25.40)	.038(.965)	.15(3.81)	\$2.11
Item Number	Expansion Range Min "/Max "(mm)			Price
Flexo Clean Cut Sleeve				
Sold Per Foot, black				
FW-1/2	.25(6.35)/ .75(19.05)			\$0.57
FW-1	.75(19.05)/ 1.19(30.22)			\$0.81
FW-1 1/4	1(25.40)/ 1.5(38.10)			\$1.02
FW-1 1/2	1.25(31.75)/ 2(50.80)			\$1.29

Images are representative of products listed and may not be actual product.

Cable Protection

SPLIT LOOM + SPIRAL WRAP

Split Loom

- Convoluted surface protects against abrasion and pinching
- Split loom easily slides over assembly and closes for a permanent installation
- Flame retardant polypropylene
- Max 275°F(135°C)



SPLIT LOOM

Item Number	Amount Sold	Diameter in " (mm)	Price per ft	Price C or L
X = Length (Per Foot, L-50', C-100'), black *Available in white only in lengths of 100' and 50'				
1/4-LOOM-(X)	Per Foot, C	.25(6.35)	\$0.78	\$78.03
3/8-LOOM-(X)*	Per Foot, C	.40(9.52)	\$0.96	\$96.03
1/2-LOOM-(X)*	Per Foot, C	.50(12.70)	\$1.32	\$132.05
3/4-LOOM-(X)*	Per Foot, C	.75(19.05)	\$1.62	\$162.06
1-LOOM-(X)*	Per Foot, L	1.00(25.40)	\$2.40	\$120.09
1-1/4-LOOM-(X)	Per Foot, L	1.25(31.75)	\$3.06	\$153.06
1-1/2-LOOM-(X)	Per Foot, L	1.50(38.10)	\$5.70	\$285.11

Spiral Wrap

- Easy wire breakouts
- Acid, solvent, gas and oil resistant
- Melt temperature 239°F(115°C)
- UV resistant



SPIRAL WRAP

Item Number	Diameter in " (mm)	Price
UV Protection black, Sold Per Foot		
UR-1/4	.25(6.35)	\$1.02
UR-3/8	.60(9.52)	\$1.33
UR-1/2	.50(12.70)	\$1.46
UR-3/4	.75(19.05)	\$2.11
UR-1	1.00(25.40)	\$3.72

List pricing in catalog is subject to change without notice.

Liquid Tite

- UV resistant
- High flexibility
- High fatigue life
- Low fire hazard and self extinguishing
- Halogen free
- CE, RU, and Lloyd's approved
- Max 240°F(120°C)



LIQUID TITE



SUPPORT CLIPS

Item Number	Diameter in " (mm)		Price
UV Protection black, Sold Per Foot			
LT-12	.50(12.70)		\$1.35
LT-34	.75(19.05)		\$2.16
LT-1	1.00(25.40)		\$2.80
LT-1.25	1.25(31.75)		\$3.78
LT-1.5	1.50(38.10)		\$5.70
Item Number	PMA	Diameter in " (mm)	Price
Support Clips			
BFH-17-0	17	.50(12.70)	\$1.85
BFH-23-0	23	.75(19.05)	\$3.51
BFH-29-0	29	1.00(25.40)	\$4.27
BFH-36-0	36	1.25(31.75)	\$5.91
BFH-48-0	48	1.50(38.10)	\$7.87

Images are representative of products listed and may not be actual product.

Cable Protection

LIQUID TITE

Liquid Tite (continued)



CONNECTOR 90 DEGREE BEND



STRAIGHT CONNECTOR



BFHS-PH1



BFHS-PH

Item Number	Diameter in " (mm)	Price
90 Degree Bend		
LTC-1290	.50(12.70)	\$7.21
LTC-3490	.75(19.05)	\$13.05
LTC-190	1.00(25.40)	\$19.04
LTC-1.2590	1.25(31.75)	\$30.40
LTC-1.590	1.00(25.40)	\$36.60
LTC-290	2.00(50.80)	\$50.95
Straight		
LTC-12S	.50(12.70)	\$3.15
LTC-34S	.75(19.05)	\$6.58
LTC-1S	1.00(25.40)	\$9.44
LTC-1.25S	1.25(31.75)	\$17.45
LTC-1.5S	1.50(38.10)	\$27.02
LTC-2S	2.00(50.80)	\$22.75
Item Number	Description	Price
Accessories		
BFHS-PH	Position support clamp PMA	\$2.26
BFHS-PH1	Rail distance spacer PMA	\$1.01

List pricing in catalog is subject to change without notice.